

AMENDMENTS

In the Claims

No claims are canceled herein.

Please amend claims 1-15, 17-25, 30-36, and 39-47 as shown herein.

5 Claims 1-47 are pending and are listed following:

1. (currently amended) A system of control panels that are configurable for any one of several different multifunction print devices each having a different combination of functions, the system of control panels
10 comprising ~~multiple control panels each of which include:~~
 ~~multiple regions each of which are associated with a different function of the multifunction print devices;~~
 a control panel configured for a multifunction print device, the control panel including any combination of selectable printing controls associated with
15 a print function, selectable copying controls associated with a copy function, selectable scanning controls associated with a scan function, and selectable faxing controls associated with a fax function of the multifunction print device;
 at least an additional control panel configured for a different multifunction print device that has a different combination of functions than the
20 multifunction print device, the additional control panel including any different combination of the selectable printing controls, the selectable copying controls, the selectable scanning controls, and the selectable faxing controls; and
 the various selectable controls of each control panel grouped by functional relation into one or more control groups, the selectable controls of
25 ~~an individual control group and~~ arranged within a similar region on each different control panel, associated with a function of the individual control group; and

~~wherein at least one control panel does not include the selectable controls of an individual control group in at least one of the multiple regions of the control panel.~~

5 2. (currently amended) A system of control panels as recited in claim 1, wherein the ~~multiple control panels each include~~ control panel includes a display panel configured to display information pertaining to [[a]] the multifunction print device.

10 3. (currently amended) A system of control panels as recited in claim 1, wherein ~~at least one~~ the control panel further includes a label to indicate the different functions of ~~a particular~~ the multifunction print device, and to identify a position on the control panel of the control groups corresponding to the different functions.

15

4. (currently amended) A system of control panels as recited
in claim 1, wherein:

the control panel has multiple regions that include:

5 a print region having a print control group of the selectable
printing controls associated with [[a]] the print function of [[a]] the
multifunction print ~~devices~~ device; and

a copy region having a copy control group of the selectable
copying controls associated with [[a]] the copy function of the
multifunction print ~~devices~~ device; and

10 the additional control panel has the multiple regions that include the
print region having the print control group, the copy region having the copy
control group, and at least one of a scan region having a scan control group of
the selectable scanning controls associated with the scan function of the
different multifunction print device, or a fax region having a fax control group
15 of the selectable faxing controls associated with the fax function of the
different multifunction print device.

5. (currently amended) A system of control panels as recited in claim 1, wherein:

the control panel has multiple regions that include:

5 a print region having a print control group of the selectable printing controls associated with [[a]] the print function of [[a]] the multifunction print device;

a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device;

10 a scan region without the selectable scanning controls; ~~and~~

a fax region without the selectable faxing controls; and

the additional control panel has the multiple regions that include the print region having the print control group, the copy region having the copy control group, and at least one of the scan region having a scan control group of
15 the selectable scanning controls associated with the scan function of the different multifunction print device, or the fax region having a fax control group of the selectable faxing controls associated with the fax function of the different multifunction print device.

6. (currently amended) A system of control panels as recited
in claim 1, wherein the multiple control panels each include a display panel
configured to display information pertaining to [[a]] the respective
multifunction print device, and wherein the control panels each have multiple
5 regions that include:

a print region having a print control group of the selectable printing
controls associated with [[a]] the print function of the multifunction print
device and the different multifunction print device; and

a copy region having a copy control group of the selectable copying
10 controls associated with [[a]] the copy function of the multifunction print
device and the different multifunction print device.

7. (currently amended) A system of control panels as recited in claim 1, wherein the control panel has multiple regions that include:

a print region having a print control group of the selectable printing controls associated with ~~[[a]]~~ the print function of the multifunction print devices device, the selectable printing controls selected from a group including:

a first printing control configured to cancel a print job;

a second printing control configured to select a menu option on a display panel;

one or more display controls configured to display information on the display panel;

a copy region having a copy control group of the selectable copying controls associated with ~~[[a]]~~ the copy function of the multifunction print devices device, the selectable copying controls selected from a group including:

a first copying control configured to select copy exposure;

a second copying control configured to select a number of copies;

a third copying control configured to select copy size;

a fourth copying control configured to select copy quality;

a fifth copying control configured to select collation of copies;

a sixth copying control configured to select paper size; and

a seventh copying control configured to initiate a copy.

8. (currently amended) A system of control panels as recited in claim 1, wherein;

the control panel has multiple regions that include:

5 a print region having a print control group of the selectable printing controls associated with [[a]] the print function of [[a]] the multifunction print device;

a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device; and

10 a scan region having a scan control group of the scanning controls associated with [[a]] the scan function of the multifunction print device; and

the additional control panel has the multiple regions that include the print region having the print control group, the copy region having the copy
15 control group, the scan region having the scan control group, and a fax region having a fax control group of the selectable faxing controls associated with the fax function of the different multifunction print device.

9. (currently amended) A system of control panels as recited in claim 1, wherein the control panel has multiple regions that include:

5 a print region having a print control group of the selectable printing controls associated with [[a]] the print function of [[a]] the multifunction print device;

a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device;

10 a scan region having a scan control group of the scanning controls associated with [[a]] the scan function of the multifunction print device; and
a fax region without the selectable faxing controls.

10. (currently amended) A system of control panels as recited in claim 1, wherein the ~~multiple~~ control panels each include a display panel
15 configured to display information pertaining to [[a]] the respective multifunction print device, and wherein the control panels each have multiple regions that include:

20 a print region having a print control group of the selectable printing controls associated with [[a]] the print function of the multifunction print device and the different multifunction print device;

a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device and the different multifunction print device; and

25 a scan region having a scan control group of the selectable scanning controls associated with [[a]] the scan function of the multifunction print device and the different multifunction print device.

11. (currently amended) A system of control panels as recited in claim 7, wherein the multiple regions further include:

a scan region having a scan control group of the selectable scanning controls associated with [[a]] the scan function of the multifunction print device, the selectable scanning controls selected from a group including:

a first scanning control configured to select a destination location for a scanned image; and

a second scanning control configured to initiate a scan.

10 12. (currently amended) A system of control panels as recited in claim 1, wherein the control panel has multiple regions that include:

a print region having a print control group of the selectable printing controls associated with [[a]] the print function of [[a]] the multifunction print device;

15 a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device;

a scan region having a scan control group of the selectable scanning controls associated with [[a]] the scan function of the multifunction print device; and

20 a fax region having a fax control group of the selectable faxing controls associated with [[a]] the fax function of the multifunction print device.

13. (currently amended) A system of control panels as recited in claim 1, wherein the ~~multiple control panels each include~~ control panel includes a display panel configured to display information pertaining to [[a]] the multifunction print device, and wherein the control panel has multiple regions that include:
- 5 a print region having a print control group of the selectable printing controls associated with [[a]] the print function of the multifunction print device;
- 10 a copy region having a copy control group of the selectable copying controls associated with [[a]] the copy function of the multifunction print device;
- a scan region having a scan control group of the selectable scanning controls associated with [[a]] the scan function of the multifunction print device; and
- 15 a fax region having a fax control group of the selectable faxing controls associated with [[a]] the fax function of the multifunction print device.

14. (currently amended) A system of control panels as recited in claim 11, wherein the multiple regions further include:

a fax region having a fax control group of the selectable faxing controls associated with [[a]] the fax function of the multifunction print device, the

5 selectable faxing controls selected from a group including:

a first faxing control configured to adjust a volume of an audible output;

a second faxing control configured to list destination fax numbers;

a third faxing control configured to select fax resolution;

a fourth faxing control configured to redial a destination fax number,

10 and further configured to pause transmitting a fax;

a fifth faxing control configured to initiate a fax;

a keypad to dial a destination fax number; and

one or more speed dial selectable controls to dial a destination fax number.

15

15. (currently amended) A control panel configurable for any one of several different multifunction print devices each having a different combination of functions, the control panel comprising:

multiple regions each of which are associated with a different function
5 of the multifunction print devices;

selectable controls grouped by functional relation into ~~one or more~~ control groups, the selectable controls of an individual control group arranged within a region associated with a function of the individual control group; and

any combination of selectable printing controls associated with a print
10 function, selectable copying controls associated with a copy function,
selectable scanning controls associated with a scan function, and selectable
faxing controls associated with a fax function of the multifunction print
devices.

~~wherein the control panel does not include the selectable controls of an~~
15 ~~individual control group in at least one of the multiple regions of the control~~
~~panel.~~

16. (original) A control panel as recited in claim 15, further comprising a display panel configured to display information pertaining to a
20 multifunction print device.

17. (currently amended) A control panel as recited in claim 15, further comprising a label to indicate the different combination of functions of a particular multifunction print device, and to identify a position on the control
25 panel of the control groups corresponding to the different combination of functions.

18. (currently amended) A control panel as recited in claim 15,
wherein the multiple regions include:

a print region having a print control group of the selectable printing
controls associated with [[a]] the print function of a multifunction print device;

5 a copy region having a copy control group of the selectable copying
controls associated with [[a]] the copy function of the multifunction print
device;

a scan region without the selectable scanning controls; and

a fax region without the selectable faxing controls.

10

19. (currently amended) A control panel as recited in claim 15,
wherein the multiple regions include:

a print region having a print control group of the selectable printing
controls associated with ~~[[a]]~~ the print function of ~~the~~ a multifunction print
5 ~~devices~~ device, the selectable printing controls selected from a group including:

a first printing control configured to cancel a print job;

a second printing control configured to select a menu option on a display
panel;

one or more display controls configured to display information on the
10 display panel;

a copy region having a copy control group of the selectable copying
controls associated with ~~[[a]]~~ the copy function of the multifunction print
~~devices~~ device, the selectable copying controls selected from a group
including:

15 a first copying control configured to select copy exposure;

a second copying control configured to select a number of copies;

a third copying control configured to select copy size;

a fourth copying control configured to select copy quality;

a fifth copying control configured to select collation of copies;

20 a sixth copying control configured to select paper size; and

a seventh copying control configured to initiate a copy.

20. (currently amended) A control panel as recited in claim 15,
wherein the multiple regions include:

a print region having a print control group of the selectable printing
controls associated with ~~[[a]]~~ the print function of a multifunction print device;

5 a copy region having a copy control group of the selectable copying
controls associated with ~~[[a]]~~ the copy function of the multifunction print
device;

a scan region having a scan control group of the scanning controls
associated with ~~[[a]]~~ the scan function of the multifunction print device; and

10 a fax region without the selectable faxing controls.

21. (currently amended) A control panel as recited in claim 19,
wherein the multiple regions further include:

a scan region having a scan control group of the selectable scanning
15 controls associated with ~~[[a]]~~ the scan function of the multifunction print
device, the selectable scanning controls selected from a group including:

a first scanning control configured to select a destination location for a
scanned image; and

a second scanning control configured to initiate a scan.

20

22. (currently amended) A control panel as recited in claim 15,
wherein the multiple regions include:

a print region having a print control group of the selectable printing
controls associated with ~~[[a]]~~ the print function of a multifunction print device;

5 a copy region having a copy control group of the selectable copying
controls associated with ~~[[a]]~~ the copy function of the multifunction print
device;

a scan region having a scan control group of the selectable scanning
controls associated with ~~[[a]]~~ the scan function of the multifunction print
10 device; and

a fax region having a fax control group of the selectable faxing controls
associated with a fax function of the multifunction print device.

23. (currently amended) A control panel as recited in claim 15,
~~wherein the multiple control panels each include~~ further comprising a display
panel configured to display information pertaining to a multifunction print
device, and wherein the multiple regions include:

5 a print region having a print control group of the selectable printing
controls associated with ~~[[a]]~~ the print function of the multifunction print
device;

a copy region having a copy control group of the selectable copying
controls associated with ~~[[a]]~~ the copy function of the multifunction print
10 device;

a scan region having a scan control group of the selectable scanning
controls associated with ~~[[a]]~~ the scan function of the multifunction print
device; and

a fax region having a fax control group of the selectable faxing controls
15 associated with ~~[[a]]~~ the fax function of the multifunction print device.

24. (currently amended) A control panel as recited in claim 21,
wherein the multiple regions further include:

a fax region having a fax control group of the selectable faxing controls
associated with a fax function of the multifunction print device, the selectable

5 faxing controls selected from a group including:

a first faxing control configured to adjust a volume of an audible output;

a second faxing control configured to list destination fax numbers;

a third faxing control configured to select fax resolution;

a fourth faxing control configured to redial a destination fax number,

10 and further configured to pause transmitting a fax;

a fifth faxing control configured to initiate a fax;

a keypad to dial a destination fax number; and

one or more speed dial selectable controls to dial a destination fax
number.

15

25. (currently amended) A system of control panels that are configurable for any one of several different multifunction devices each having a different combination of functions, the system of control panels comprising multiple control panels each of which include:

5 multiple regions each of which ~~are~~ is associated with a different function of the multifunction devices, the multiple regions including a print region having one or more selectable printing controls associated with a print function of the multifunction devices, and a copy region having one or more selectable copying controls associated with a copy function of the multifunction devices;

10 and

~~one or more~~ selectable controls arranged within one or more of the multiple regions, the ~~one or more~~ selectable controls within any one region having individual functionality associated with the different function of the one region, where a control panel for a multifunction device has the selectable controls arranged within the one or more multiple regions and an additional control panel for a different multifunction device has different selectable controls arranged within the one or more multiple regions.

~~the multiple regions including a print region having one or more selectable printing controls associated with a print function of the multifunction devices, and a copy region having one or more selectable copying controls associated with a copy function of the multifunction devices; and~~

~~wherein at least one control panel does not include the selectable controls of an individual control group in at least one of the multiple regions of the control panel.~~

25

26. (original) A system of control panels as recited in claim 25, wherein the multiple control panels each include a display panel configured to display information pertaining to a multifunction device.

5 27. (original) A system of control panels as recited in claim 25, wherein at least one control panel includes a label to indicate the different functions of a particular multifunction device, and to identify a position on the control panel of the one or more selectable controls corresponding to a particular different function.

10

28. (original) A system of control panels as recited in claim 25, wherein the multiple regions further include a scan region without selectable scanning controls, and a fax region without selectable faxing controls.

29. (original) A system of control panels as recited in claim 25,
wherein:

the one or more selectable printing controls are selected from a group
including:

- 5 a first printing control configured to cancel a print job;
- a second printing control configured to select a menu option on a display
panel;
- one or more display controls configured to display information on the
display panel;

10 the one or more selectable copying controls are selected from a group
including:

- a first copying control configured to select copy exposure;
- a second copying control configured to select a number of copies;
- a third copying control configured to select copy size;
- 15 a fourth copying control configured to select copy quality;
- a fifth copying control configured to select collation of copies;
- a sixth copying control configured to select paper size; and
- a seventh copying control configured to initiate a copy.

20 30. (currently amended) A system of control panels as recited
in claim 25, wherein the multiple regions further include a scan region having
one or more selectable scanning controls associated with a scan function of the
multifunction ~~device~~ devices.

31. (currently amended) A system of control panels as recited in claim 25, wherein the multiple control panels each include a display panel configured to display information pertaining to a multifunction device, and wherein the multiple regions further include a scan region having one or more selectable scanning controls associated with a scan function of the multifunction device devices.

32. (currently amended) A system of control panels as recited in claim 29, wherein the multiple regions further include a scan region having one or more selectable scanning controls associated with a scan function of the multifunction device devices, the one or more selectable scanning controls selected from a group including:

a first scanning control configured to select a destination location for a scanned image; and

a second scanning control configured to initiate a scan.

33. (currently amended) A system of control panels as recited in claim 25, wherein the multiple regions further include:

a scan region having one or more selectable scanning controls associated with a scan function of the multifunction device devices; and

a fax region having one or more selectable faxing controls associated with a fax function of the multifunction device devices.

34. (currently amended) A system of control panels as recited in claim 25, wherein the multiple control panels each include a display panel configured to display information pertaining to a multifunction device, and wherein the multiple regions further include:

5 a scan region having one or more selectable scanning controls associated with a scan function of the multifunction ~~device~~ devices; and

a fax region having one or more selectable faxing controls associated with a fax function of the multifunction ~~device~~ devices.

10 35. (currently amended) A system of control panels as recited in claim 32, wherein:

the multiple regions further include a fax region having one or more selectable faxing controls associated with a fax function of the multifunction ~~device~~ devices, the one or more selectable faxing controls selected from a
15 group including:

a first faxing control configured to adjust a volume of an audible output;

a second faxing control configured to list destination fax numbers;

a third faxing control configured to select fax resolution;

a fourth faxing control configured to redial a destination fax number,

20 and further configured to pause transmitting a fax;

a fifth faxing control configured to initiate a fax;

a keypad to dial a destination fax number; and

one or more speed dial selectable controls to dial a destination fax
number.

25

36. (currently amended) A method, comprising:

defining multiple regions of control panels that are configurable for any one of several different multifunction devices ~~a control panel for a multifunction device;~~

5 associating an individual region of a control panel with a particular function of ~~the a~~ multifunction device, the particular function selected from a group of functions including printing, copying, scanning, and faxing;

associating one or more selectable controls with the individual region of the control panel, the one or more selectable controls having individual
10 functionality associated with the particular function of the individual region;
and

producing ~~multiple the~~ control panels having any combination of selectable printing controls associated with the printing function, selectable copying controls associated with the copying function, selectable scanning
15 controls associated with the scanning function, and selectable faxing controls associated with the faxing function of the several different multifunction devices including at least one control panel that does not include the selectable controls of an individual control group in at least one of the multiple regions of the control panel.

20

37. (original) A method as recited in claim 36, wherein producing includes producing the control panel with a display panel for displaying information pertaining to the multifunction device.

38. (original) A method as recited in claim 36, wherein producing includes producing the control panel with a label to indicate the different functions of the multifunction device, and to identify a position on the control panel of the one or more selectable controls corresponding to a particular
5 region.

39. (currently amended) A method as recited in claim 36, wherein associating the one or more selectable controls includes:

associating ~~one or more~~ the selectable printing controls with an
10 individual region corresponding to ~~[[a]]~~ the printing function of the multifunction device; and

associating ~~one or more~~ the selectable copying controls with an individual region corresponding to ~~[[a]]~~ the copying function of the multifunction device.

15

40. (currently amended) A method as recited in claim 36, wherein producing includes producing the control panel with a display panel for displaying information pertaining to the multifunction device, and wherein associating the one or more selectable controls includes:

20 associating ~~one or more~~ the selectable printing controls with an individual region corresponding to ~~[[a]]~~ the printing function of the multifunction device; and

associating ~~one or more~~ the selectable copying controls with an individual region corresponding to ~~[[a]]~~ the copying function of the
25 multifunction device.

41. (currently amended) A method as recited in claim 36,
wherein associating the one or more selectable controls includes:

associating ~~one or more~~ the selectable printing controls with an
individual region corresponding to ~~[[a]]~~ the printing function of the
5 multifunction device, the ~~one or more~~ selectable printing controls being
selected from a group including:

a first printing control for canceling a print job;
a second printing control for selecting a menu option on a display panel;
one or more display controls for displaying information on the display
10 panel;

associating ~~one or more~~ the selectable copying controls with an
individual region corresponding to ~~[[a]]~~ the copying function of the
multifunction device, the ~~one or more~~ selectable copying controls being
selected from a group including:

15 a first copying control for selecting copy exposure;
a second copying control for selecting a number of copies;
a third copying control for selecting copy size;
a fourth copying control for selecting copy quality;
a fifth copying control for selecting collation of copies;
20 a sixth copying control for selecting paper size; and
a seventh copying control for initiating a copy.

42. (currently amended) A method as recited in claim 36,
wherein associating the one or more selectable controls includes:

associating ~~one or more~~ the selectable printing controls with an
individual region corresponding to ~~[[a]]~~ the printing function of the
5 multifunction device;

associating ~~one or more~~ the selectable copying controls with an
individual region corresponding to ~~[[a]]~~ the copying function of the
multifunction device; and

associating ~~one or more~~ the selectable scanning controls with an
10 individual region corresponding to ~~[[a]]~~ the scanning function of the
multifunction device.

43. (currently amended) A method as recited in claim 36,
wherein producing includes producing the control panel with a display panel
15 for displaying information pertaining to the multifunction device, and wherein
associating the one or more selectable controls includes:

associating ~~one or more~~ the selectable printing controls with an
individual region corresponding to ~~[[a]]~~ the printing function of the
multifunction device;

20 associating ~~one or more~~ the selectable copying controls with an
individual region corresponding to ~~[[a]]~~ the copying function of the
multifunction device; and

associating ~~one or more~~ the selectable scanning controls with an
individual region corresponding to ~~[[a]]~~ the scanning function of the
25 multifunction device.

44. (currently amended) A method as recited in claim 41,
wherein associating the one or more selectable controls includes associating
~~one or more~~ the selectable scanning controls with an individual region
corresponding to ~~[[a]]~~ the scanning function of the multifunction device, the
5 ~~one or more~~ selectable scanning controls being selected from a group
including:

a first scanning control for selecting a destination location for a scanned
image; and

a second scanning control for initiating a scan.

10

45. (currently amended) A method as recited in claim 36,
wherein associating the one or more selectable controls includes:

associating ~~one or more~~ the selectable printing controls with an
individual region corresponding to ~~[[a]]~~ the printing function of the
15 multifunction device;

associating ~~one or more~~ the selectable copying controls with an
individual region corresponding to ~~[[a]]~~ the copying function of the
multifunction device;

associating ~~one or more~~ the selectable scanning controls with an
20 individual region corresponding to ~~[[a]]~~ the scanning function of the
multifunction device; and

associating ~~one or more~~ the selectable faxing controls with an individual
region corresponding to ~~[[a]]~~ the faxing function of the multifunction device.

46. (currently amended) A method as recited in claim 36, wherein producing includes producing the control panel with a display panel for displaying information pertaining to the multifunction device, and wherein associating the one or more selectable controls includes:

5 associating ~~one or more~~ the selectable printing controls with an individual region corresponding to ~~[[a]]~~ the printing function of the multifunction device;

associating ~~one or more~~ the selectable copying controls with an individual region corresponding to ~~[[a]]~~ the copying function of the
10 multifunction device;

associating ~~one or more~~ the selectable scanning controls with an individual region corresponding to ~~[[a]]~~ the scanning function of the multifunction device; and

associating ~~one or more~~ the selectable faxing controls with an individual
15 region corresponding to ~~[[a]]~~ the faxing function of the multifunction device.

47. (currently amended) A method as recited in claim 44, wherein associating the one or more selectable controls includes associating ~~one or more~~ the selectable faxing controls with an individual region corresponding to ~~[[a]]~~ the faxing function of the multifunction device, the ~~one~~ one or more selectable faxing controls being selected from a group including:
- a first faxing control for adjusting a volume of an audible output;
 - a second faxing control for listing destination fax numbers;
 - a third faxing control for selecting fax resolution;
 - a fourth faxing control for redialing a destination fax number, and for
- 10 pausing transmitting a fax;
- a fifth faxing control for initiating a fax;
 - a keypad for dialing a destination fax number; and
 - one or more speed dial selectable controls for dialing a destination fax number.